



# *COMMONWEALTH of VIRGINIA*

## *DEPARTMENT OF ENVIRONMENTAL QUALITY*

### PIEDMONT REGIONAL OFFICE

4949A Cox Road, Glen Allen, Virginia 23060

(804) 527-5020 Fax (804) 527-5106

[www.deq.virginia.gov](http://www.deq.virginia.gov)

Douglas W. Domenech  
Secretary of Natural Resources

David K. Paylor  
Director

Michael P. Murphy  
Regional Director

July 20, 2011

Ryan L. Porter, Facility Manager  
H&B of Virginia, Inc.  
7818 Boydton Plank Road  
Petersburg, VA 23803

CERTIFIED MAIL  
RETURN RECEIPT

RE: Virginia Pollutant Discharge Elimination System (VPDES) Reissuance  
VPDES No. VA0070564, Picture Lake Campground Wastewater Treatment Facility

Dear Mr. Porter:

Your VPDES permit is enclosed. As indicated in the Fact Sheet, the permit has changed; please read the permit carefully because you are responsible for meeting all permit conditions. The first Discharge Monitoring Report (DMR) required by this permit for monthly monitored parameters is due on October 10, 2011 for the period of September 2011. If you still have DMR data to report as required by the previous permit please submit it as an attachment to the first DMR required by this permit. Monitoring results on the DMRs should be reported to the same number of significant digits as are included in the permit limit for the parameter.

A hard copy DMR is not enclosed; however, an electronic DMR is available through e-DMR. We expect every permittee to use e-DMR as permits are reissued and exceptions are only granted on a case by case basis. Notification of the requirement to register for e-DMR was provided on 1/27/2011, 5/31/2011, and on 7/12/2011. There are many benefits to both DEQ and the permittee when e-DMR is utilized for submissions:

- 1) Fewer revisions of data since the e-DMR program automatically flags omissions before the data is submitted;
- 2) Cost savings on postage, copying, and paper;
- 3) No concerns about using the most current DMR – e-DMR refreshes the required parameters automatically when changes are needed;
- 4) Submittals can be made on a timelier basis; and
- 5) Electronic signatures from multiple people are allowed and e-DMR can be accessed from multiple computer locations.

If you have not already done so, please register for e-DMR participation now in order for the e-DMR application to be processed prior to the first DMR due date for this reissuance so as to avoid non-compliance with the permit reporting requirements. Patrick Bishop, our regional e-

DMR administrator, can assist you at (804) 527-5127 or via email at [Patrick.Bishop@deq.virginia.gov](mailto:Patrick.Bishop@deq.virginia.gov). Information is also available at the following Web site: <http://www.deq.virginia.gov/water/edmrfaq.html>

As provided by Rule 2A:2 of the Supreme Court of Virginia, you have thirty days from the date of service (the date you actually received this decision or the date it was mailed to you, whichever occurred first) within which to appeal this permit reissuance decision by filing a notice of appeal in accordance with the Rules of the Supreme Court of Virginia with the Director, Department of Environmental Quality. In the event that this decision is served on you by mail, three days are added to that period.

Alternatively, any owner under §§ 62.1 - 44.16, 62.1 - 44.17, and 62.1 - 44.19 of the State Water Control Law aggrieved by any action of the State Water Control Board taken without a formal hearing, or by inaction of the Board, may demand in writing a formal hearing of such owner's grievance, provided a petition requesting such hearing is filed with the Board. Said petition must meet the requirements set forth in 9VAC25-230-130 (Procedural Rule No. 1 – Petition for formal hearing). In cases involving actions of the Board, such petition must be filed within thirty days after notice of such action is mailed to such owner by certified mail.

If you have any questions about the permit, please contact Janine Howard at (804) 527-5046 or [Janine.howard@deq.virginia.gov](mailto:Janine.howard@deq.virginia.gov).

Sincerely,



Curtis Linderman, P.E.  
Water Permit Manager

Enclosure: Permit No. VA0070564

cc: EPA, Region III-3WP12  
Patrick Bishop, PRO  
Elleanore Daub, DEQ Central Office